```
L8
     ANSWER 1 OF 8 USPATFULL
AN
       97:94039 USPATFULL
       Light-sensitive lithographic printing plate having a light sensitive
ΤI
       layer comprising a clathrate compound
IN
       Noguchi, Kazuo, Hino, Japan
       Fukumuro, Kaori, Hino, Japan
       Matsubara, Shinichi, Hino, Japan
       Koya, Yoshihiro, Yokohama, Japan
       Tomiyasu, Hiroshi, Yokohama, Japan
       Kajiwara, Shigeru, Yokohama, Japan
       Konica Corporation, Tokyo, Japan (non-U.S. corporation)
PA
       US 5677101
                               19971014
PΙ
AΙ
       US 1995-491731
                               19950619 (8)
       JP 1994-162611
                           19940621
PRAI
       Utility
DТ
       Granted
EXNAM
       Primary Examiner: Chu, John S.
       Finnegan, Henderson, Farabow, Garrett & Dunner, L.L.P.
LREP
CLMN
       Number of Claims: 3
       Exemplary Claim: 1
ECL
       No Drawings
DRWN
LN.CNT 1237
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
       Disclosed is a light-sensitive lithographic printing plate which
       comprises an aluminum plate having a surface subjected to roughening
       treatment and then anodization treatment and colored by a solution
       containing a UV absorber so that at an absorption local maximum
       wavelength between 340 and 450 nm, reflection optical density DS is
       higher by 0.02 to 0.5 than that obtained when the surface is not
       colored, and a positive light-sensitive composition layer containing an
       o-quinonediazide compound and a clathrate compound provided by coating
       on the aluminum plate after coloration.
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
     ANSWER 2 OF 8 USPATFULL
L8
       97:47237 USPATFULL
ΑN
       Light-sensitive lithographic printing plate utilizing o-quinone diazide
ΤI
       light-sensitive layer containing cyclic clathrate
       compound
IN
       Higashino, Katuhiko, Hino, Japan
       Fukumuro, Kaori, Hino, Japan
       Matsubara, Shinichi, Hino, Japan
       Sasaki, Mitsuru, Yokohama, Japan
       Ohta, Katsuko, Yokohama, Japan
       Matsuo, Fumiyuki, Yokohama, Japan
PΑ
       Konica Corporation, Tokyo, Japan (non-U.S. corporation)
       Mitsubishi Chemical Corporation, Tokyo, Japan (non-U.S. corporation)
PΙ
       US 5635328
                               19970603
       US 1994-291197
                               19940816 (8)
AΙ
PRAI
       JP 1993-228046
                           19930821
DT
       Utility
FS
       Granted
EXNAM
       Primary Examiner: Young, Christopher G.
       Frishauf, Holtz, Goodman, Langer & Chick, P.C.
LREP
CLMN
       Number of Claims: 11
ECL
       Exemplary Claim: 1
DRWN
       No Drawings
LN.CNT 1364
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
       Disclosed are a light-sensitive lithographic printing plate which
       comprises a support subjected to graining treatment and anodization
       treatment and a layer of a positive light-sensitive composition
```

containing a o-quinonediazide compound, an alkali-soluble resin and a clathrate compound provided on the support, and a method of processing the same which comprises subjecting the plate to image exposure and then development processing with a developing agent containing an alkali metal silicate.

Blast media containing surfactant-clathrate compound

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ANSWER 3 OF 8 USPATFULL 95:3471 USPATFULL

L8

ΑÑ

TI

```
Winston, Anthony E., East Brunswick, NJ, United States
IN
       Yam, Benny S., Holmdel, NJ, United States
       Jones, Keith A., Yardley, PA, United States
PΑ
       Church & Dwight Co., Inc., Princeton, NJ, United States (U.S.
       corporation)
       US 5380347
                               19950110
PΤ
       US 1994-193759
                               19940203 (8)
AΙ
       Division of Ser. No. US 1993-6659, filed on 21 Jan 1993, now patented,
RLI
       Pat. No. US 5332447
דת
       Utility
       Granted
FS
EXNAM Primary Examiner: Dean, Richard O.; Assistant Examiner: El-Arini, Zeinab
       Barris, Charles B.
LREP
       Number of Claims: 13
CLMN
ECL
       Exemplary Claim: 1
DRWN
       No Drawings
LN.CNT 494
       A blast media for stripping contaminants from a solid surface comprises
AB
       abrasive particles and a surfactant in the form of a granular
       surfactant-clathrate compound formed of a surfactant and a water soluble
       compound having clathration capability such as urea. The surfactant
       reduces the amount of water soluble residues which remain on the
       targeted surface and enhances the removal of dirt, grease and oil from
       the targeted surface.
     ANSWER 4 OF 8 USPATFULL
L8
AN
       94:100030 USPATFULL
       Clathrate compounds comprising tetrakisphenols as
ΤI
       host
       Asai, Makoto, Ichihara, Japan
IN
       Suzuki, Hiroshi, Ichihara, Japan
       Ichikawa, Takako, Ichihara, Japan
PA
       Nippon Soda Co., Ltd., Tokyo, Japan (non-U.S. corporation)
PI
       US 5364977
                               19941115
ΑI
       US 1993-105546
                               19930812 (8)
RLI.
       Continuation-in-part of Ser. No. US 1993-98290, filed on 4 Aug 1993
PRAI
       JP 1992-345524
                          19921201
DT
       Utility
       Granted
EXNAM
       Primary Examiner: Lone, Werren B.
       Mason, Jr., Joseph C., Oujevolk, George B., Smith, Ronald E.
LREP
CLMN
       Number of Claims: 11
ECL
       Exemplary Claim: 1
DRWN
       52 Drawing Figure(s); 52 Drawing Page(s)
LN.CNT 991
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
       The present invention provides novel clathrate compounds using
AΒ
       tetrakisphenols as host. The clathrate compounds are obtained easily and
       efficiently by reacting tetrakisphenols represented by the general
       formula [I] as host and various organic compounds such as alcohol,
       ether, ester, ketone, heterocyclic compounds containing nitrogen,
       essential oil, perfume and the like as guest under the condition of
```

solvent-free or diluted with solvent if required. ##STR1## wherein X represents (CH.sub.2)n, n represents 0-3, and R.sup.1 and R.sup.2 represents each independently hydrogen atom, a lower alkyl group, a pheny group optionally having substituents, a halogen atom or a lower alcoxy group.

The clathrate compounds specified in the present invention are useful in the technological field of selective separation, chemical stabilization, conversion to non-volatility, powder processing and the like.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

```
L8
     ANSWER 5 OF 8 USPATFULL
AN
       94:68377 USPATFULL
TT ·
       Blast media containing surfactant-clathrate compound
       Winston, Anthony E., East Brunswick, NJ, United States
TN
       Yam, Benny S., Holmdel, NJ, United States
       Jones, Keith A., Yardley, PA, United States
       Church & Dwight Co., Inc., Princeton, NJ, United States (U.S.
PA
       corporation)
PΤ
       US 5336281
                               19940809
ΑI
       US 1994-193762
                               19940203 (8)
       Division of Ser. No. US 1993-6659, filed on 21 Jan 1993
RLI
DT
       Utility
       Granted
FS
      Primary Examiner: Bell, Mark L.; Assistant Examiner: Jones, Deborah
EXNAM
       Barris, Charles B.
LREP
       Number of Claims: 15
CLMN
       Exemplary Claim: 1
ECL
DRWN
       No Drawings
LN.CNT 473
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
       A blast media for stripping contaminants from a solid surface comprises
AB
       abrasive particles and a surfactant in the form of a granular
       surfactant-clathrate compound formed of a surfactant and a water soluble
       compound having clathration capability such as urea. The surfactant
       reduces the amount of water soluble residues which remain on the
```

targeted surface and enhances the removal of dirt, grease and oil from

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

the targeted surface.

```
ANSWER 6 OF 8 USPATFULL
L8
       94:64124 USPATFULL
AN
       Method of cleaning using a blast media containing a surfactant-
ΤI
       clathrate compound
IN
       Winston, Anthony E., East Brunswick, NJ, United States
       Yam, Benny S., Holmdel, NJ, United States
       Jones, Keith A., Yardley, PA, United States
       Church & Dwight Co., Inc., Princeton, NJ, United States (U.S.
PA
       corporation)
PΙ
       US 5332447
                               19940726
ΑI
       US 1993-6659
                               19930121 (8)
       Utility
DT
FS
       Primary Examiner: Breneman, R. Bruce; Assistant Examiner: Dunn, Jr.,
EXNAM
       Thomas G.
       Barris, Charles B.
LREP
CLMN
       Number of Claims: 20
ECL
       Exemplary Claim: 1
DRWN
       No Drawings
LN.CNT 487
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
       A blast media for stripping contaminants from a solid surface comprises
```

abrasive particles and a surfactant in the form of a granular surfactant-clathrate compound formed of a surfactant and a water soluble compound having clathration capability such as urea. The surfactant reduces the amount of water soluble residues which remain on the targeted surface and enhances the removal of dirt, grease and oil from the targeted surface.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

```
ANSWER 7 OF 8 USPATFULL
L8
AN
       91:12706 USPATFULL
       Detergent composition containing clathrate granules of a perfume-
TI
       clathrate compound
IN
       Nebashi, Tutomu, Tochigi, Japan
       Yabe, Shinichi, Tochigi, Japan
       Sai, Fumio, Tochigi, Japan
       Izumi, Yu, Chiba, Japan
       Fujieda, Takashi, Chiba, Japan
       Kao Corporation, Tokyo, Japan (non-U.S. corporation)
PΑ
PΙ
       US 4992198
                               19910212
AΙ
       US 1989-297842
                               19890113 (7)
       JP 1988-9163
                           19880119
PRAI
       JP 1988-19254
                           19880129
      Utility
DT
FS
       Granted
      Primary Examiner: Wax, Robert A.; Assistant Examiner: Steffe, Eric
EXNAM
       Flynn, Thiel, Boutell & Tanis
LREP
      Number of Claims: 12
CLMN
       Exemplary Claim: 1
ECL
DRWN
      No Drawings
LN.CNT 679
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
       A high density-having, granular, concentrated detergent composition
AB
       comprises a detergent component(s) and clathrate granules of a
       perfume-clathrate compound comprising a perfume and a compound having a
       clathration capability. The clathrate granules have an average size of
       100 to 1500 micrometers.
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
     ANSWER 8 OF 8 USPATFULL
       71:32526 USPATFULL
```

```
L8
ΑN
ΤI
       CLATHRATE COMPOUNDS
IN
       Dosch, Werner, Mainz, Germany, Federal Republic of
PA
       Dyckerhoff Zementwerke A.G., Wiesbaden-Amoneburg, Germany, Federal
       Republic of
PΙ
       US 3607863
                               19710921
AΙ
       US 1967-619486
                               19670228 (4)
       Utility
DT
FS
       Granted
       Primary Examiner: Levow, Tobias E.; Assistant Examiner: Scott, Watson T.
EXNAM
       Radde; Erich M., McClure; Charles A., Weiser; Gerard J., Stapler; Alfred
LREP
CLMN
       Number of Claims: 10
       9 Drawing Figure(s); 3 Drawing Page(s)
DRWN
LN.CNT 652
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
AB
       A composition composed of an inorganic carrier material of the formula
       4 MeO.sup.. X.sub.2 O.sub.3 .sup.. n aq
```

Wherein

Me is an alkaline earth metal,

X is trivalent iron or aluminum,

aq is water of crystallization, and

n is at least 7,

Having adsorbed thereto or included in its crystal lattice a polar organic compound or a nonpolar organic compound and a polar organic compound. Said carrier material may contain anions such as SO.sub.4.sup..sup.-2, CO.sub.3.sup..sup.-2, or Cl.sup..sup.- and may be alkylated.

The resulting adsorption complex, inclusion or clathrate compound is stable, of a high degree of crystalline orderliness, and uniform in its physical and chemical properties.

It is prepared by contacting the inorganic carrier material with the liquid or gaseous organic compound or with its solution. It is also obtained by adding the organic compound during preparation of the inorganic carrier material.

The adsorption complexes, inclusion or clathrate compounds are useful for modifying cement and concrete, for storing insecticides, perfumes, drugs, dyes etc. to be released at the site of their use, and for many other technical purposes.

The inorganic carrier material is obtained, for instance, by reacting mono-or tricalcium aluminate or tetracalcium aluminate ferrite with water or calcium hydroxide suspensions or by reacting alkali aluminate solutions with the oxides or hydroxides of calcium or magnesium.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

(FILE 'HOME' ENTERED AT 11:04:42 ON 03 JUL 2003)

	FILE	'USPAT	rft	JLL'	' ENTERED AT 11:05:37 ON 03 JUL 2003
L1		1531	s	CLA	ATHRATE
L2		302	S	L1	AND PHENOL
L3		235	S	L2	AND DERIVATIVE
L4		70	s	L3	AND CLATHRATE COMPOUND
L5		12	S	L4	AND HOST
L6		12	DI	JP R	REM L5 (0 DUPLICATES REMOVED)
L7		21	S	CLA	ATHRATE COMPOUND/TI
L8		8	s	L7	AND PHENOL
L9		0	s	L8	AND PHENOL DERIVATIVE
L10		0	s	L8	AND PHENOL HOST
L11		0	S	L8	AND REACTING A PHENOL
L12		0	s	L8	AND REACTING PHENOL
L13		0	S	L8	AND ANTIBACTERI?
T.14		1	S	T.A	AND SBACTERS